



K KRAIBURG
RELASTEC



RUBBERFLOORING

in bright, eye-pleasing colours

Made in
Germany

looks great – comfortable to walk on

SPORTEC[®]

SPORTEC[®]

RUBBER FLOORING...

SPORTEC[®] color

Material: fine-grained recycled tyre rubber (black), with 5, 10, 15, 20 or 30% coloured EPDM granules, PU-elastomer bonded


Available Colours*: black, black-blue, -red, -green, -grey, -blue/grey, -bright yellow

SPORTEC[®] color fifty

Material: 50% fine-grained recycled tyre rubber (black), 50% coloured EPDM granules, PU-elastomer bonded

Available Colours*: black-blue, black-red, black-grey, black-beige

For example: **SPORTEC[®] color fifty**



* Other colours available on request (see EPDM colour range).



SPORTEC[®] color Grades

5%


10%

15%

20%

30%

fifty




... is a family of durable, easy-to-clean and water-resistant flooring materials made from high quality recycled tyre rubber and colourful EPDM granules. Besides being comfortable to walk on, SPORTEC® rubber flooring also absorbs walking noise and floor-to-ceiling noise. It is an ideal flooring material for a broad variety of applications in commercial and residential buildings. Available in a broad range of eye-pleasing colours, SPORTEC® rubber flooring provides unique possibilities for personalized floor design. SPORTEC® rubber flooring upgrades floors in commercial rooms, displays, trade fair booths and offices as well as in private residences, providing a bright, attractive appearance and outstanding underfoot comfort.



SPORTEC® purcolor

Material: 85% coloured EPDM granules, 15% fine-grained recycled tyre rubber (black), PU-elastomer bonded
Available Colours*: grey-black, dark grey-black, blue-black, red-black


For example: *SPORTEC®* purcolor



SPORTEC® variant

Material: coloured EPDM granules with or without recycled tyre rubber (black), PU-elastomer bonded
Available Colours: choose from wide range (see EPDM colour range below)


For example: *SPORTEC®* variant



SPORTEC® UNI classic / UNI outdoor

Material: fine-grained (UNI classic) or coarse-grained (UNI outdoor) coloured EPDM granules, PU-elastomer bonded
Available Colours*: dark grey, red, blue, green, beige

For example: *SPORTEC®* UNI classic



Sportec UNI outdoor (coarse-grained coloured EPDM granules): suitable for use as outdoor sports surfacing, installed with or without elastic underlay

* Other colours available on request (see EPDM colour range).

EPDM Colour Range



SPORTEC® color 15 (15% EPDM granules)

Roll width: 1500 mm ($\pm 1.5\%$)
Thicknesses: 4, 5, 6, 8, 10 and 12 mm (± 0.3 mm)
Chair-castor compatibility: suitable for permanent use
Fire resistance: E_{f1}
Colour permanence: 2-3
Footfall sound reduction: 17 dB (for 6 mm); 18 dB (for 8 mm)

SPORTEC® color (5, 10, 20 or 30% EPDM granules)

Roll width: 1500 mm ($\pm 1.5\%$)
Thicknesses: 6 mm* (± 0.3 mm)
Chair-castor compatibility: suitable for permanent use
Fire resistance: E_{f1}
Colour permanence: 2-3
Footfall sound reduction: 17 dB (for 6 mm); 18 dB (for 8 mm)

SPORTEC® color fifty (50% EPDM granules)

Roll width: 1500 mm ($\pm 1.5\%$)
Thicknesses: 6 mm* (± 0.3 mm)
Fire resistance: E_{f1}

SPORTEC® purcolor

Roll width: 1250 mm ($\pm 1.5\%$)
Thicknesses: 4, 6, 8 mm* (± 0.3 mm)
Chair-castor compatibility: suitable for permanent use
Fire resistance: E_{f1} standard, B_{f1} s1 on request
Colour permanence: 3
Footfall sound reduction: 16 dB (for 6 mm); 18 dB (for 8 mm)

SPORTEC® variant

Roll width: 1250 mm ($\pm 1.5\%$)
Thicknesses: on request
Fire resistance: E_{f1} standard, B_{f1} s1 on request

SPORTEC® UNI classic / UNI outdoor

Roll width: 1250 mm ($\pm 1.5\%$)
Thicknesses: 4 mm* (± 0.3 mm)
Fire resistance: E_{f1} standard, B_{f1} s1 on request

* Other thicknesses on request.

Gummiwerk KRAIBURG RELASTEC GmbH

Fuchsberger Straße 4 · D - 29410 Salzwedel · Germany

Sales

Telephone +49-(0)8683-701-156
Fax +49-(0)8683-701-4156
E-Mail sportec@kraiburg-relastec.com
Internet www.kraiburg-relastec.com/sportec

